

trio
KNITTS

Cleckheaton

No. 84

Lincoln

4 & 8 ply knit-crochet



DOLL'S PARTY DRESS AND KNICKERS IN LACE PATTERN

MATERIALS: LINCOLN or CLECKHEATON 4 ply, 2 balls. Pr No 10 and 12 knitting needles. Medium size crochet hook. 3 buttons. Waist length of elastic.

MEASUREMENTS: To fit 14 inch doll with 7½ inch chest.

TENSION: 7½ sts and 10 rows to 1 inch.

BODY SECTION: Using No 10 needles cast on 113 sts, K 3 rows. Comm patt. **1st row:** (Right side) K2, *K2, yf, K2 tog, K1 K2 tog, yf, K3, rep from * to last st, K1. **2nd row:** K1, P1, *P3, yrn, P3 tog, yrn, P4, rep from * to last st, K1. **3rd row:** K2, *K2 tog, yf, K5, yf, K2 tog, K1, rep from * to last st, K1. **4th row:** K1, P2 tog, *yrn, P7, yrn, P3 tog, rep from * to last 10 sts, yrn, P7, yrn, P2 tog, K1. Rep these 4 rows until work measures 4½ ins, ending wrong side row. **Dec row:** K2, *K2 tog, rep from * to last st, K1. (58 sts). Comm P row, work 5 rows st st.

DIVIDE FOR BODICE: **Next row:** K13, cast off 3 sts, K26, incl st used in cast off, cast off 3 sts, K13. Work on this last set of 13 sts for Right side Back. Dec 1 st at armhole edge on 2 foll alt rows. Cont in st st until armhole measures 1½ ins, ending at armhole edge. **Shape Shoulder:** Cast off 5 sts at beg of next row. Work 1 row. Leave rem 6 sts on safety pin. Wrong side facing, join in yarn to centre 26 sts. P 1 row. Dec 1 st each end of next and foll alt row. Work 3 rows st st. **Shape Neck:** **Next row:** K7 sts, turn. Dec 1 st at neck edge on 2 foll alt rows. Cont in st st until work measures same as back to shoulder. Cast off these 5 sts. Slip centre 8 sts to safety pin. Right side facing, join in yarn to neck edge of rem sts. Complete to match first side of neck.

LEFT SIDE BACK: Wrong side facing, join in yarn to rem 13 sts, complete to match right side, reversing all shapings.

SLEEVES: Using No 12 needles, cast on 24 sts, K 3 rows. Change to st st comm K row, work 2 rows. **Next row:** *K1, K twice in next st, rep from * to end. (36 sts). Change to No 10 needles. Cont in st st, comm P row, work 3 rows. **Shape Top:** Cast off 2 sts at beg of next 2 rows. Dec 1 st each end of next 8 rows. Cast off rem sts.

NECKBAND: Join shoulder seams. Right side facing using No 12 needles K across sts on left side back, pick and K 7 sts down left side neck, K centre front sts, pick up and K 7 sts up right side neck, then K right back sts. Comm P row work 3 rows st st. **Next row:** (Picot Edge) K2, *yf, K2 tog, rep from * to end. Comm P row, work 3 rows st st. Cast off loosely.

KNICKERS: Using No 10 needles cast on 28 sts. Work 2 rows in K1 P1 rib. **Next row:** (Eyelet Holes) Rib 3, *yf, K2 tog, rib 2, rep from * to last 5 sts, yf, K2 tog, rib 3. Work 3 rows in rib. Change to st st work 1½ ins, ending P row. Dec 1 st each end of next and foll alt rows until 20 sts remain, then 1 st each end of every row to 6 sts. Work 8 rows. Inc 1 st each end of every row to 20 sts, then 1 st each end of every alt row until inc to 28 sts. Work 1½ ins st st. Work 3 rows in K1 P1 rib, work eyelet row, then 2 more rows rib. Cast off in rib.

TO MAKE UP: Dress: Join centre back seam from hem to top of skirt. Join sleeve seams, gather straight cast off section on sleeve top, then sew in sleeves. Fold neckband in half at picot edge and slip stitch. Work a row of double crochet round back opening, then work 3 button loops, evenly spaced along one edge. Sew on buttons.

Knickers: Join side seams. Work a row of double crochet round each leg edge. Thread elastic through eyelet holes at waist.

DRESS WITH DUCK MOTIFS AND KNICKERS

MATERIALS: LINCOLN or CLECKHEATON 8 ply 3 balls main colour, 1 ball contrast colour. Pr No 8 and 10 knitting needles. Medium size crochet hook. 3 buttons. waist length elastic. Small amounts in 2 contrast colours for embroidery.

MEASUREMENTS: To fit 14 inch doll with 7½ inch chest.

TENSION: 6 and 8 rows to 1 inch.

BODY SECTION: Using No 8 needles and cc cast on 86 sts work 2 rows st st. **Next row (Picot Hemline):** K2, *yf, K2 tog, rep from * to end. Comm P row work 3 rows in st st. Change to mc and cont in st st until work measures 3½ ins from hemline, ending K row. **Dec row:** P2, *P2 tog, P4, rep from * to end. (72 sts). Change to cc, work 4 rows st st. **Next row:** K2, *yf, K2 tog, rep from * to end. Comm P row, work 3 rows st st. Change to mc. **Divide for Armholes:** **Next row:** K16, cast off 6, K28, incl st used in cast off, cast off 6, K16. Work on last 16 sts for right side back. **Next row:** P. **Next row:** K2 tog, K to end. Rep last 2 rows twice more. Comm P row work 9 rows st st. **Shape Shoulder:** Cast off 4 sts, K to end. Work 1 row. Leave rem sts on safety pin. Wrong side facing, join yarn to rem 28 sts, P to end, turn. Cont in st st, dec 1 st each end of next and 2 foll alt rows.


Work 3 rows. **Shape Neck:** **Next row:** K6, turn, P to end. Dec 1 st at neck edge on next and foll alt row. Work 3 rows. Cast off these 4 sts. Slip centre 10 sts to safety pin. Right side facing, join in yarn to rem 6 sts, K to end. Complete to match first side of neck, reversing all shapings. **Left Side Back:** Wrong side facing, join in yarn to rem 16 sts, P to end. Complete to match right side.

ARMHOLE EDGINGS: Right side facing, using No 10 needles and cc, pick up and K 26 sts evenly round armhole edge from shoulder to shoulder. **Next row:** P. **Next row:** K. **Next row:** K2, *yf, K2 tog, rep from * to end. Comm P row, work 3 rows st st. Cast off loosely.

NECKBAND: Join shoulder seams. Right side facing, using No 10 needles, and cc, K across sts on left side back, pick up and K5 sts down left side neck, K 2 tog 5 times across centre sts, pick up and K 5 sts up, right side neck, K right side back sts. Finish as for Armhole Edging.

KNICKERS: Using No 8 needles and mc, cast on 18 sts. Work 2 rows K1 P1 rib. **Next row (Eyelet holes):** Rib 2, *yon, K2 tog, rib 2, rep from * to end. Work 1 row rib. Change to st st, work 1½ ins, ending P row. Dec 1 st each end of next and foll alt rows until 12 sts remain, then 1 st each end of every row to 4 sts. Work 6 rows straight. Inc 1 st each end of every row to 12 sts, then every alt row to 18 sts. Work 1½ ins ending K row. Work 1 row rib. Work eyelet row, rib 2 rows. Cast off in rib.

TO MAKE UP: Dress: Join back seam from hem to top of contrast picot edge. Fold hem, neck and armhole edgings to wrong side at picot edges and slip stitch. Fold picot edge on bodice to right side and catch the 2 edges together on wrong side. Using cc, work a row of double crochet round back opening, then work 3 button loops evenly spaced on one edge. Sew buttons to other edge. Work Ducks in Swiss darning.



X 1st Contrast Colour

■ 2nd Contrast Colour

Swiss Darning: The embroidered stitch follows the line of the knitted stitch thus: First draw the needle through the 2 threads at base of the st to be covered, then insert the needle again through the 2 threads at top of st to be covered, draw the thread through, thus covering one side of the knitted stitch. Now insert the needle again through the base of the same st and the 2nd side of the st, st loop on the front of the fabric will be covered. Using this method and the graph given work 7 ducks round bottom of dress, 4 rows from contrast edge and leaving 6 sts between each duck. Also work 1 duck in centre of front bib. Work a French knot on each duck to form eye.

Knickers: Join side seams. Using cc work a row of double crochet round each leg edge. Thread elastic through eyelet holes at waist.

BABY DOLL OUTFIT

MATERIALS: LINCOLN or CLECKHEATON 8-ply 7 balls for set. Pr No 8 and 10 knitting needles. Medium crochet hook, 3 buttons and 1 yd ribbon for Dress. 3 buttons for Jacket. Waist length of elastic, elastic and ribbon for Leggings, ribbon for Bonnet and Bootees.

MEASUREMENTS: To fit 12 inch Doll, chest 9 ins.

TENSION: 6 sts and 8 rows to 1 inch.

DRESS: Main Section: Using No 8 needles cast on 122 sts, K 1 row. Comm patt. **1st row:** (Right side) K3, * yf, sl 2, K1, pass the 2 slipped sts over the K st, K 3 tog, yf, K4, rep from * to last 9 sts, yf, sl 2, K1, pass the 2 slipped sts over the K st, K3 tog, yf, K3. **2nd row:** P4, * yrn, P2, yrn, P6, rep from * to last 6 sts, yrn, P2, yrn, P4. **3rd row:** K1, * K3 tog, yf, K4, yf, sl 2, K1, pass the 2 sl sts over the K st, rep from * to last st, K1. **4th row:** P2, * yrn, P6, yrn, P2, rep from * to end. Rep these 4 rows 6 times more. **Next row:** K7 (K2 tog) 12 times, K6 (K2 tog) 24 times, K6 (K2 tog) 12 times, K7 (74 sts). **Next row:** P. **Next row:** (Eyelet holes) K2, * yf, K2 tog, K2, rep from * to end. **Next row:** P. Cont in st st, Work 2 rows.

LEFT SIDE BACK: K19 sts, turn. Cast on 3 sts at beg of next row and 2 sts at beg of foll alt row. (24 sts). Work 18 rows straight. Cast off.

FRONT: Right side facing, rejoin yarn to rem sts. Cast on 3 sts, K across these 3 sts, then K 36 sts, turn. Cast on 3 sts, P across these 3 sts, P to end. Cast on 2 sts at beg of next 2 rows. Work 10 rows straight. **Shape Neck: Next row:** K 16 sts, turn. Dec 1 st at neck edge on next 3 rows. Work 4 rows straight. Cast off. Right side facing, rejoin yarn to neck edge, cast off 14 sts, K to end, complete to match first side of neck.

RIGHT SIDE BACK: Right side facing, rejoin yarn to rem 19 sts, complete to match Left Side Back, reversing shapings.

JACKET: Main Section: Using No 8 needles cast on 102 sts, K 1 row. Comm patt. **1st row (right side):** K8, rep from * of 1st row dress to last 4 sts, K4. **2nd row:** K5, P4, rep from * of 2nd row dress to last 11 sts, yrn, P2, yrn, P4, K5. **3rd row:** K6, rep from * of 3rd row dress to last 6 sts, K6. **4th row:** K5, P2, rep from * of 4th row dress to last 5 sts, K5. Rep these 4 rows 3 times more. **Next row:** K2, yf, K2 tog, K1 (K2, K2 tog) 5 times; K6, (K2 tog, K2) 10 times; K6, (K2 tog, K2) 5 times; K5, (82 sts). **Next row:** K5, P to last 5 sts, K5. **Next row:** K. Rep last 2 rows once, then 1st row once.

RIGHT FRONT: K 22 sts, turn. Cont in st st, keeping a border of 5 garter sts. Cast on 7 sts at beg of next row and 6 sts on foll alt row. (35 sts). Work 2 rows. **Next row:** K2, yf, K2 tog, K to end. Work 7 rows. **Shape Neck: Next row:** Work across first 10 sts, slip onto safety pin, K to end. Dec 1 st at neck edge on next 4 rows. Work 5 rows. Cast off.

BACK: Right side facing, join yarn to rem sts. Cast on 7 sts, K across these 7 then K 38 sts, turn. Cast on 7 sts. P these sts, P to end. Cast on 6 sts at beg of next 2 rows. (64 sts). Work 20 rows. Cast off.

LEFT FRONT: Right side facing join yarn to rem 22 sts, work to match Right Front, reversing shapings and omit buttonholes.

NECKBAND: Join shoulder seams. Using No 10 needles slip the 10 sts on Right Front safety pin onto needle. Right side facing, join yarn to inner edge of these 10 sts, pick up

and K 6 sts up right side neck, 18 sts across back neck, 6 sts down left side neck, K 10 sts from safety pin, K 1 row. **Next row:** K2, yf, K2 tog, K to end. K 2 rows. Cast off.

BONNET: Using No 8 needles cast on 42 sts, K 1 row. Work the 4 patt rows as Dress 5 times. **Shape Crown: 1st row:** (K2 tog, K5) to end. **2nd and alt rows:** P. **3rd row:** (K2 tog, K4) to end. **5th row:** (K2 tog, K3) to end. Cont to dec thus until 6 sts rem. Break yarn, thread through rem sts, draw up and fasten off securely.

BOOTEES: Using No 8 needles, cast on 22 sts. Work 4 rows K1 P1 rib. **Next row:** K2 tog, *K1, yf, K2 tog, rep from * to last 2 sts, K2 tog. **Next row:** P. **Next row:** K13, turn. **Next row:** P6, turn. Work $\frac{3}{4}$ inch st st on these 6 sts, ending P row. Break yarn. Rejoin to inner edge of first set of sts left on needle. Pick up and K 5 sts along first side of instep, K centre 6 sts, pick up and K 5 sts on second side of instep, then K last set of 7 sts. (30 sts). **Next row:** P30. Work 2 rows st st. **Next row:** K1, K2 tog, K9, K2 tog, K2, K2 tog, K9, K2 tog, K1. **Next row:** P. **Next row:** K1, K2 tog, K7, K2 tog, K2, K2 tog, K7, K2 tog, K1. **Next row:** P. **Next row:** K1, K2 tog, K5, K2 tog, K2, K2 tog, K5, K2 tog, K1. Cast off.

VEST: Using No 8 needles cast on 30 sts, work 4 rows K1 P1 rib. Cont in st st until work measures 2 $\frac{1}{2}$ ins, ending P row. **Shape Armholes:** Cast off 4 sts at beg of next 2 rows. Dec 1 st each end of next row. Work 5 rows. **Shape Neck:** K6, turn. * Keeping armhole edge straight dec 1 st at neck edge on next 2 rows. Work 12 rows. Inc 1 st at neck edge of next 2 rows. * Leave these sts on sp needle, break yarn. Rejoin yarn to inner edge of rem sts, cast off centre 8 sts, K to end. Now work as other side from * to *. **Next row:** P6, cast on 8 sts, P across 6 sts from spare needle. Work 5 rows. Inc 1 st each end of next row. Cast on 4 sts at beg of next 2 rows. Cont until Back measures same as Front, ending with 4 rows rib, cast off in rib.

KNICKERS: Using No 8 needles, cast on 26 sts. Work 2 rows K1 P1 rib. **Next row:** (Eyelet Holes) Rib 2, * yrn, K2 tog, rib 2, rep from * to end. Work 1 row rib, cont in st st for 1 $\frac{1}{2}$ ins, ending P row. Dec 1 st each end of next and foll alt rows until 20 sts remain, then each end of every row until 6 sts rem. Work 6 rows. Inc 1 st each end of every row to 20 sts, then each end of alt rows until inc to 26 sts. Work 1 $\frac{1}{2}$ ins st st, ending K row. Rib 1 row. Repeat eyelet hole row. Rib 2 rows. Cast off in rib.

LEGGINGS: Right Leg: * Using No 8 needles cast on 32 sts. Rib 2 rows. Make eyelet holes as for Knickers, rib 1 row. Cont in st st until work measures 3 $\frac{1}{2}$ ins, ending P row. Mark each end of last row. **Shape Leg: Next row:** K2, sl 1, K1, pssso, K to last 4 sts, K2 tog, K2. **Next row:** P. Rep last 2 rows 4 times. (22 sts). Cont straight until work measures 3 ins from marked row, ending P row. **Next row:** (ribbon holes) K2 tog, *K1, yf, K2 tog, rep from * to last 2 sts, K2 tog. **Next row:** P. * **Shape Foot: Next row:** K17, turn. **Next row:** P6, turn. Work $\frac{3}{4}$ inch st st on these 6 sts, ending P row. Break yarn. Rejoin to inner edge of 11 sts left on needle. Pick up and K 5 sts along first side of instep, K 6 toe sts, pick up and K 5 sts on second side of instep, then K rem 3 sts. (30 sts). **Next row:** P30. Work 2 rows st st. **1st row:** K3 (K2 tog) twice, K10, (K2 tog) twice, K9. **2nd row:** P. **3rd row:** K2 (K2 tog) twice, K8, (K2 tog) twice, K8. **4th row:** P. **5th row:** K1 (K2 tog) twice, K6, (K2 tog) twice, K7. Cast off. **Left Leg:** Work as Right Leg from * to *. **Shape Foot: Next row:** K9, turn, P6, turn. Work $\frac{3}{4}$ inch on these 6 sts. Break yarn. Rejoin yarn to inner edge of the 3 sts left on needle. Pick up and K 5 sts on first side of instep, K 6 toe sts, pick up, and K 5 sts on second side of instep, K rem 11 sts. **Next row:** P. Work 2 rows in st st. **1st row:** K9 (K2 tog) twice, K10, (K2 tog) twice, K3. **2nd row:** P. **3rd row:** K8, (K2 tog) twice, K8, (K2 tog) twice, K2. **4th row:** P. **5th row:** K7, (K2 tog) twice, K6 (K2 tog) twice, K1. Cast off.

TO MAKE UP: Press with warm iron and damp cloth.

Dress: Join sleeve and shoulder seams. Join Back seam to within 2 ins of neck. Work 2 rows of dc round armholes. Work 1 row round neck and back opening, work 2nd row round neck, missing every 3rd st. Work 3 button lips on one side of opening. Sew on buttons. Thread ribbon through eyelet holes.

Jacket: Join sleeve and shoulder seams. Work 1 row of dc round wrist edge. Sew on buttons.

Bonnet: Join back seam for 1½ ins. Work 1 row of dc round neck edge. Sew on ribbons.

Bootees: Join seams. Thread ribbon through eyelet holes.

Vest: Join side seams. Work 1 row dc round neck and armholes.

Knickers: Join side seams. Work 1 row of dc round leg edge. Thread elastic through holes at waist.

Leggings: Join back, front, leg and under foot seams. Thread elastic through holes at waist and ribbon through ankle holes.

WEDDING TROUSSEAU FOR LARGE OR SMALL DOLL

MEASUREMENTS: Large Doll - 18 inch, 8¼ inch chest
Small Doll - 11½ inch.

MATERIALS: LINCOLN or CLECKHEATON: Trouser Suit 2 balls 4 ply for Small Doll, 5 balls 8 ply for Large Doll.

Wedding Gown: 2 balls 4 ply for Small Doll, 5 balls 8 ply for Large Doll. **Day Dress:** 1 ball 4 ply for Small Doll, 3 balls 8 ply for Large Doll. Size 3.00 mm (No. 11) and 4.00 mm (No. 8) crochet hooks for Small Doll. Size 4.00 mm (No. 8) and 5.00 mm (No. 6) hooks for Large Doll.

TENSION: Using 4 (8) ply and size 3.00 (4.00) hook work top of Trouser suit, fasten off. If this measures less than 5 (9) ins wide use larger hook, if larger use a smaller hook.

TROUSER SUIT: Top Bodice: Using size 3.00 (4.00) hook make 36 (39) ch. to measure 5 (9) ins. **Foundation row:** 1 tr in 3rd ch. *miss 2 ch, 3 tr in next ch, rep from * to within last 3 ch, ending miss 2 ch, 2 tr in last ch, turn, 10 (11) 3 tr grps. **Patt row:** 3 ch, 1 tr in 1st tr, *miss 2 tr, 3 tr in next tr, rep from * ending 2 tr in 3rd ch, turn.

Large doll, rep last row once. Divide for Back and Front. **Right Back: 1st row:** 3 ch, 1 tr in 1st tr, miss 2 tr, 3 tr in next tr, miss 2 tr, 2 tr in next tr, miss next tr, 1 tr in next tr, turn. **2nd row:** miss 1st tr, sl st in next tr, 3 ch, 1 tr in same place as sl st, miss 2 tr, 3 tr in next tr, 2 tr in 3rd ch, turn. **3rd row:** 3 ch, 1 tr in 1st tr, miss 2 tr, 3 tr in next tr, 2 tr in 3rd ch, turn. Fasten off. **Front: 1st row:** Miss next tr, attach yarn to next tr, 3 ch, miss next tr, 2 tr in next tr, ((miss 2 tr, 3 tr in next tr)) 2 (3) times, miss 2 tr, 2 tr in next tr, miss next tr, 1 tr in next tr, turn. **2nd row:** Miss 1st st, 1 sl st in next tr, 3 ch, 1 tr in same place ((miss 2 tr, 3 tr in next tr)) 2(3) times, miss 2 tr, 2 tr in next tr, turn. Rep patt row once. **Shape Neck: 1st side:** 3 ch, 1 tr in 1st tr, miss 2 tr, 1 tr in next tr. Fasten off. **2nd side:** Miss next 2 (5) tr for Neck, attach yarn to next tr, 3 ch, 2 tr in 3rd ch. Fasten off.

Left Back: 1st row: Miss next tr, attach yarn to next tr, 3 ch, miss next tr, 2 tr in next tr, miss 2 tr, 3 tr in next tr, 2 tr in 3rd ch, turn. **2nd row:** 3 ch, 1 tr in 1st tr, miss 2 tr, 3 tr in next tr, miss 2 tr, 2 tr in next tr, turn. **3rd row:** 3 ch, 1 tr in 1st tr, miss 2 tr, 3 tr in next tr, 2 tr in 3rd ch. Fasten off.

SKIRT SECTION: 1st row: Working along other side of comm ch, using 3.00 (4.00) hook, wrong side facing, attach yarn to 1st ch, 1 dc in same place, *2 ch, miss 2 ch, 1 dc in next ch, rep from * to end. Turn. **2nd row:** Change to 4.00 (5.00) hook, 3 ch, 1 tr in 1st dc, 3 tr in each dc, 2 tr in last dc, turn. Rep patt row 1 (3) times. **Last row:** 2 ch, 1 hlf tr in 1st tr, *miss next tr, 1 sl st in next sp between tr, miss next tr, 4 hlf tr in next tr, rep from * ending miss next tr, sl st in next sp, bet tr, 2 hlf tr in 3rd ch. Fasten off.

SLEEVES: Using 3.00 (4.00) hook comm with 9 ch. **Foundation row:** 3 tr in 6th ch, miss 2 ch, 1 tr in last ch. **1st row:** 3 ch, 2 tr in 1st tr, miss 1 tr, 3 tr in next tr, 3 tr in 6th ch. **2nd row:** 3 ch, miss 1st tr, 3 tr in next tr, miss 2 tr, 3 tr in next tr, miss 2 tr, 3 tr in next tr, 1 tr in 3rd ch. **3rd row:** 3 ch, 2 tr in 1st tr, miss 1 tr ((3 tr in next tr, miss 2 tr)) 3

times, 3 tr in 3rd ch. **4th row:** Miss 1st tr, sl st in next tr, 3 ch, 2 tr in same place as sl st, ((miss 2 tr, 3 tr in next tr)) 4 times. Change to 4.00 (5.00) hook and rep last row 2 (5) times. **Last row:** Miss 1st tr, *4 hlf tr in next tr, miss next tr, sl st in next sp between tr, miss next tr, rep from * ending 4 hlf tr in next tr, sl st in 3rd ch. Fasten off.

TROUSERS: Using size 3.00 (4.00) hook make 36 (42) ch. **Foundation row:** 2 tr in 3rd ch, *miss 2 ch, 3 tr in next ch, rep from * to end. **1st row:** Miss 1st tr, sl st in next tr, 3 ch, 2 tr in same place as sl st, *miss 2 tr, 3 tr in next tr, rep from * to end. Rep last row 2 (4) times. **Divide for Legs: 1st leg: 1st row:** Miss 1 st st, sl st in next tr, 3 ch, 2 tr in same place ((miss 2 tr, 3 tr in next tr)) 5 (6) times, turn. **2nd row:** Miss 1st tr, sl st in next tr, 3 ch, 2 tr in same place, *miss 2 tr, 3 tr in next tr, rep from * to end. Rep last row once (twice). Change to 4.00 (5.00) hook, rep last row 6 (8) times. **Last row:** As for Sleeves. **2nd Leg:** Using 3.00 (4.00) hook, miss next 2 tr, attach yarn to next tr, 3 ch, 2 tr in same place as join, patt to end. Rep 2nd row of 1st leg 2 (3) times, then change to 4.00 (5.00) hook and complete as 1st leg.

TO MAKE UP:

TOP: Join shoulder seams. Join sleeve seams from 4th (5th) row down. Set in sleeves. Right side facing using 3.00 (4.00) hook attach yarn to base of left back work 2 dc in each row-end up Back then dc evenly round neck, 2 dc in each row-end down back opening. Make length of ch 9 (12) ins, thread through waist. Make small pompoms thus: using 3.00 (4.00) hook yarn round finger once to form ring, 3 ch, 10 tr in ring. Draw comm ring tight, sl st in 3rd ch. Fasten off, leaving a thread hanging. Thread this through the top of each tr, draw tight and attach to end of tie.

TROUSERS: Join leg seams. Using 3.00 (4.00) hook attach yarn to top edge and work dc evenly round. Fasten off. Thread shirring elastic round waistband.

WEDDING GOWN: BODICE: Work as Bodice of Trouser Suit. **Skirt Section:** Work 1st row as Trouser suit. **2nd row:** 3 ch, 1 tr in 1st dc, *1 ch, 4 tr in next dc, rep from * ending 1 ch, 2 tr in last dc. **3rd row:** 3 ch, 1 tr in 1st tr, *1 ch, 4 tr in centre sp of 4 tr group, rep from * ending 1 ch, 2 tr in 3rd ch. Rep last row 3 (5) times. Change to 4.00 (5.00) hook, rep last row 5 (5) times. **Next row:** 3 ch, 1 tr in 1st tr, *2 ch, 4 tr in centre of 4 tr group, rep from * ending 2 ch, 2 tr in 3rd ch. Rep last row until skirt measures 6 (9½) ins. **Last row:** 3 ch, 2 tr in 1st tr, *2 dc in next 2 ch sp, 6 tr in centre of 4 tr group, rep from * ending 2 dc in last 2 ch sp, 3 tr in 3rd ch. Fasten off.

SLEEVES: As for Trouser Suit.

FINISHING: Join shoulder seams. Join skirt back to within last 3 rows before waist. Join sleeve seams, set in sleeves. Work Edgings on back opening and neck as for Trouser suit. **Flowers:** (Make 18) Using 3.00 (4.00) hook yarn round finger once to form ring, 1 dc in ring, ((5 ch, 1 dc in ring)) 4 times, 5 ch, sl st into ring. Fasten off. Draw comm ring tight. Sew 1 flower to each scallop on hem, 2 flowers on bodice, use remainder for veil. Make length of ch 13 (18) ins to thread through waist, make pompoms. Sew 2 press studs down back opening.

DAY DRESS: Bodice as for Trouser suit. **Skirt Section:** Work as Wedding Gown until skirt measures 3 (5) ins. **Last row:** 3 ch, 2 tr in 1st tr, *1 dc in next 1 ch sp, 5 tr in centre sp of next 4 tr group, rep from * ending 1 dc in last 1 ch sp, 3 tr in 3rd ch. Fasten off. Work Sleeves as for Trouser Suit.

FINISHING: Make up and work neck and opening edges as Gown. Make length of ch 9 (12) ins for waist, make pompoms.